

Rating System and Version

LEED® V4 & V4.1 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
EPDM THERMOSET MEMBRANE ROOFING																			
SURE-SEAL NON- REINFORCED EPDM									✓	✓	✓	✓			✓				✓
SURE-TOUGH REINFORCED EPDM									✓	✓	✓				✓				✓
SURE-TOUGH SAT (SELF-ADHERING TECHNOLOGY) REINFORCED EPDM									✓						✓				✓
SURE-WHITE NON-REINFORCED WHITE EPDM				✓					✓	✓					✓				✓
SURE-WHITE SAT (SELF-ADHERING TECHNOLOGY) NON-REINFORCED EPDM				✓					✓						✓				✓
SURE-SEAL SAT (SELF-ADHERING TECHNOLOGY) NON-REINFORCED EPDM									✓			✓			✓				✓
SURE-SEAL FLEECEBACK EPDM									✓			✓			✓				✓
SURE-WHITE FLEECEBACK EPDM				✓					✓						✓				✓
SURE-SEAL FLEECEBACK AFX EPDM									✓						✓				✓
SURE-WHITE FLEECEBACK AFX EPDM				✓					✓						✓				✓
FLEECEBACK RL™ EPDM									✓			✓			✓				✓

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
Credit Category	 SS - Sustainable Sites							 WE - Water Efficiency	 EA - Energy and Atmosphere	 MR - Materials and Resources					 EQ - Indoor Environmental Quality					
	Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1	Option 1	Up to 3 PTS	Option 1 & 2	Option 1 & 2	Up to 2 PTS	Up to 2 PTS	
THERMOPLASTIC MEMBRANE ROOFING																				
SURE-WELD TPO																				
SURE-WELD SAT (SELF-ADHERING TECHNOLOGY) TPO																				
SURE-WELD FLEECEBACK TPO																				
SURE-WELD FLEECEBACK AFX TPO																				
FLEECEBACK RL TPO																				

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality					
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance	
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2				
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS	
PVC MEMBRANE ROOFING																				
SURE-FLEX PVC																				
SURE-FLEX KEE HP																				
SURE-FLEX PVC FLEECEBACK																				
SURE-FLEX KEE HP FLEECEBACK																				
FLEECEBACK RL PVC																				

Rating System and Version

LEED® V4 & V4.1 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1 Up to 2 PTS	1 PT	Option1 Up to 3 PTS	Option 1 & 2 Up to 2 PTS	1 PT	1 PT	1 PT	Option 1 & 2 Prerequisite	Option 1 & 2 Up to 20 PTS	Prerequisite	Option 1 Up to 2 PTS	Option 1 & Option 2 Up to 2 PTS	Option 1 Up to 2 PTS	1 PT	Up to 3 PTS	Option 1 & 2 1 PT	Option 1 & 2 Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

THERMAL INSULATION

POLYISOCYANURATE INSULATION GLASS REINFORCED FELT (GRF) FACERS

INSULBASE®									✓	✓	✓	✓			✓				✓
INSULBASE NH									✓	✓	✓	✓	✓		✓				✓
INSULBASE RL™									✓	✓	✓	✓			✓				✓

POLYISOCYANURATE INSULATION COATED GLASS FACERS (CGF)

SECURSHIELD®									✓	✓	✓	✓			✓				✓
SECURSHIELD NH									✓	✓	✓	✓	✓		✓				✓
SECURSHIELD RL									✓	✓	✓	✓			✓				✓

EXPANDED POLYSTYRENE (EPS)

INSULFOAM FLAT									✓	✓	✓	✓			✓				✓
----------------	--	--	--	--	--	--	--	--	---	---	---	---	--	--	---	--	--	--	---

HIGH-DENSITY POLYISOCYANURATE COVER BOARDS

INSULBASE HD									✓	✓		✓			✓				✓
SECURSHIELD HD									✓	✓	✓	✓			✓				✓
SECURSHIELD HD PLUS									✓	✓	✓	✓			✓				✓
SECURSHIELD HD RL									✓	✓	✓	✓			✓				✓

COMPOSITE COVER BOARDS

SECURSHIELD HD COMPOSITE (HD POLYISO & POLYISO)									✓	✓	✓	✓			✓				✓
STORMBASE™ COMPOSITE (OSB & POLYISO)									✓	✓	✓	✓			✓				✓
SECURSHIELD HD EPS COMPOSITE (HD POLYISO & EXPANDED POLYSTYRENE)									✓	✓	✓	✓			✓				✓

Rating System and Version

LEED® V4 & V4.1 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1 Up to 2 PTS	1 PT	Option1 Up to 3 PTS	Option 1 & 2 Up to 2 PTS	1 PT	1 PT	1 PT	Option 1 & 2 Prerequisite	Option 1 & 2 Up to 20 PTS	Prerequisite	Option 1 Up to 2 PTS	Option 1 & Option 2 Up to 2 PTS	Option 1 Up to 2 PTS	1 PT	Up to 3 PTS	Option 1 & 2 1 PT	Option 1 & 2 Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

VEGETATED ROOF SYSTEMS

CCW 300HV PROTECTION COURSE	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
CCW 200V PROTECTION COURSE	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
ROOT BARRIER	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
MIRADRAIN G4	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
MIRADRAIN 9800	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
MIRADRAIN IDB	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
HYDRO-BLANKET D13	✔	✔	✔	✔	✔	✔	✔	✔	✔					✔		✔			✔
ENGINEERED GROWTH MEDIA	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
SEDUM PLUGS	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
SEDUM TILES	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
SEDUM MATS	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
ALUMINUM DRAIN BOX	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔			✔
ALUMINUM EDGE	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔			✔
EASY BEND ALUMINUM EDGE	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔			✔
STAINED GLASS STONE		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
HYDROPACK PRE-GROWN TRAY	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔

VEGETATED ROOF SYSTEMS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
Credit Description	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
GREENGRID PRE-GROWN TRAY	✔	✔	✔	✔	✔	✔	✔	✔	✔		✔		✔		✔				✔
HANOVER PREST PAVERS		✔	✔	✔	✔	✔	✔		✔		✔		✔		✔				✔
HANOVER GUARDIAN PAVERS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
HANOVER PEDESTAL PAVERS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
HANOVER HIGH TAB PEDESTALS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
HANOVER EPDM PEDESTALS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
HANOVER COMPENSATOR		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
HANOVER PORCELAIN PAVERS		✔	✔	✔	✔	✔	✔		✔		✔		✔		✔				✔
SUNNY BROOK CONCRETE PAVERS		✔	✔	✔	✔	✔	✔		✔		✔		✔		✔				✔
WAUSAU CONCRETE PAVERS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
WESTILE CONCRETE PAVERS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
MRP ADJUSTABLE SUPPORTS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
RUBBER PAVERS		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
RUBBER PAVER EDGE RESTRAINT		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔
RUBBER PAVER EASY-BEND EDGE RESTRAINT		✔	✔		✔	✔	✔		✔		✔		✔		✔				✔

Rating System and Version

LEED® V4 & V4.1 - Product Reference Guide | For Green Building Rating Systems

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2	Option 1 & 2
	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

ADHESIVES, PRIMERS, CLEANERS, FASTENERS

90-8-30A EPDM BONDING ADHESIVE														✔						
AQUA BASE 120 BONDING ADHESIVE														✔	✔					
CAV-GRIP III ADHESIVE/PRIMER										✔				✔	✔					
CAV-GRIP PVC ADHESIVE										✔				✔	✔					
CD-10												✔								
COLD APPLIED ADHESIVE														✔	✔					
EPDM x-23 LOW-VOC BONDING ADHESIVE														✔	✔					
FLEXIBLE FAST ADHESIVE										✔				✔	✔					✔
GYPTEC FASTENER & PLATE																				
HD 14-10													✔							
HP FASTENER													✔							
HP POLYMER SEAM PLATE																				
HP PRE-ASSEMBLED													✔							
HP-250 PRIMER														✔						
HP-X ASAP													✔							
HP-X FASTENER™ & HP-XTRA FASTENER													✔							

ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
Credit Description	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
HYDROBOND PVC WATER-BASED ADHESIVE																			
LOW-VOC BONDING ADHESIVE																			
LOW VOC EPDM AND TPO PRIMER																			
LOW-VOC PVC BONDING ADHESIVE																			
LOW-VOC PVC STEP 1 ACTIVATOR																			
LOW-VOC PVC STEP 2 PRIMER																			
ONE-PART POURABLE SEALER (BLACK/WHITE)																			
PIRANHA PLATE																			
EPDM PRESSURE SENSITIVE SECURTAPE																			
PVC AND KEE HP MEMBRANE CLEANER																			
PVC CUT-EDGE SEALANT																			
PVC STEP 2 PRIMER																			
RHINOBOND® PLATE																			
SEAM FASTENING PLATE																			
SURE-SEAL LAP SEALANT																			
SURE-TITE®																			
SURE-WELD BONDING ADHESIVE																			

ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
Credit Description	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1		Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
SURE-WHITE LAP SEALANT																			
TPO CLEAR CUT EDGE SEALANT																			
TPO PRIMER (STANDARD AND LOW-VOC)*																			
UNIVERSAL SINGLE-PLY SEALANT																			
WATER CUT-OFF MASTIC																			
WEATHERED MEMBRANE CLEANER																			
WHITE ONE-PART SEALANT																			

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
Credit Category	 SS - Sustainable Sites							 WE - Water Efficiency	 EA - Energy and Atmosphere	 MR - Materials and Resources					 EQ - Indoor Environmental Quality					
	Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1	1 PT	Up to 3 PTS	Option 1 & 2	Option 1 & 2	Up to 2 PTS	Up to 2 PTS	
AIR & VAPOR BARRIERS																				
VAPAIR SEAL 725																				
VAPAIR SEAL MD																				
VAPAIR SEAL FLASHING FOAM																				
SUREMB 90 BASE																				
SUREMB 90TG BASE																				
SUREMB 120TG																				

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
Credit Category	 SS - Sustainable Sites							 WE - Water Efficiency	 EA - Energy and Atmosphere	 MR - Materials and Resources					 EQ - Indoor Environmental Quality					
	Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1	Option 1	Up to 3 PTS	Option 1 & 2	Option 1 & 2	Up to 2 PTS	Up to 2 PTS	
ROOF COATINGS																				
X-TENDA COAT CLASSIC ACRYLIC COATING																				
X-TENDA COAT XTRA SILICONE COATING																				

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
Credit Category	 SS - Sustainable Sites							 WE - Water Efficiency	 EA - Energy and Atmosphere	 MR - Materials and Resources					 EQ - Indoor Environmental Quality					
	Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
LEED Point Contribution	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1	Option 1	Option 1 & 2	Option 1 & 2	Option 1 & 2	Prerequisite	Option 1	Option 1 & Option 2	Option 1	Option 1	Up to 3 PTS	Option 1 & 2	Option 1 & 2	Up to 2 PTS	Up to 2 PTS	
SKYLIGHTS																				
SUNPATH																				
SUNWELD PLUS																				